

## **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0	Revision Date 03/31/2022
SECTION 1. PRODUCT AN	ID COMPANY IDENTIFICATION
Product name	: TEC® POWER GROUT® 550-947 LT BRONZE
Product code	: 10000021128
Manufacturer or supp	lier's details
Company	: H.B. Fuller Construction Products
Address	: 1105 South Frontenac
Telephone	Aurora, IL, 60504 : 1-800-552-6225
Medical Emergency Ph	one Number (24 Hours): 1-888-853-1758
Transport Emergency F	Phone Number (CHEMTREC): 1-800-424-9300
Recommended use of	the chemical and restrictions on use
Recommended use	: Cement, Adhesive

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	powder	
Color	bronze	
Odor	odorless	

#### **GHS Classification**

Skin irritation Serious eye damage Carcinogenicity Specific target organ toxicity - repeated exposure	<ul> <li>Category 2</li> <li>Category 1</li> <li>Category 1A</li> <li>Category 1</li> </ul>
GHS label elements	
Hazard pictograms	
Signal Word	: Danger

### Hazard Statements:

H315 Causes skin irritation. H318 Causes serious eye damage. H350 May cause cancer. H372 Causes damage to organs through prolonged or repeated exposure.



### **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0

Revision Date 03/31/2022

#### Precautionary Statements:

**Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. **Storage:** P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

#### **Potential Health Effects**

Carcinogenicity:		
IARC	Group 1: Carcinogenic to humans quartz (SiO2)	14808-60-7
	Group 2B: Possibly carcinogenic	to humans
	titanium dioxide	13463-67-7
OSHA	No component of this product p equal to 0.1% is on OSHA's lis	present at levels greater than or t of regulated carcinogens.
NTP	Known to be human carcinogen	0
	quartz (SiO2)	14808-60-7

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

CAS-No.	Concentration [%]
14808-60-7	30 - 50
65997-16-2	30 - 50
26499-65-0	5 - 10
471-34-1	5 - 10
13463-67-7	1 - 5
	14808-60-7 65997-16-2 26499-65-0 471-34-1

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.



TEC® POV	VER GROUT® 550-947 LT BRONZE
Version 1.0	Revision Date 03/31/2022
If inhaled	<ul> <li>If inhaled Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Oxygen or artificial respiration if needed.</li> </ul>
In case of skin contact	: Wash off with soap and water. Remove contaminated clothing. If irritation develops, get medical attention.
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	<ul> <li>Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.</li> <li>If conscious, drink plenty of water.</li> <li>Never give anything by mouth to an unconscious person.</li> </ul>

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	None known.	
Specific hazards during fire fighting	<ul> <li>Avoid generating dust; fine dust dispersed in air in sufficie concentrations, and in the presence of an ignition source potential dust explosion hazard.</li> <li>No hazardous combustion products are known</li> </ul>	
Hazardous combustion products Specific extinguishing methods	No hazardous combustion products are known	
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breat apparatus in addition to standard fire fighting gear.	hing

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent product from entering drains. Should not be released into the environment.



# **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0	Revision Date 03/31/2022
Methods and materials for containment and cleaning up	: Use approved industrial vacuum cleaner for removal. Do not use compressed air for cleaning purposes. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
SECTION 7. HANDLING AND ST	ORAGE
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Avoid creating dust. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Take precautionary measures against static discharges. Provide for appropriate exhaust ventilation and dust collection at machinery.
Conditions for safe storage	: Keep tightly closed in a dry and cool place.
Materials to avoid	: No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
quartz (SiO2)	14808-60-7	TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH
		TWA (total dust)	30 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m3	NIOSH REL
		TWA (Respirable fraction)	0.1 mg/m3	OSHA P0
		TWA	0.05 mg/m3	OSHA Z-1



# **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0

Revision Date 03/31/2022

		(Respirable		
		dust)		
		PEL	0.05 mg/m3	CAL PEL
		(Respirable		
		dust)		
		TWA	0.1 mg/m3	OSHA P0
		(respirable		
		dust fraction)		
plaster of Paris	26499-65-0	TWA	5 mg/m3	NIOSH REL
		(Respirable)		
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total	15 mg/m3	OSHA Z-1
		dust)		
		TWA	5 mg/m3	OSHA Z-1
		(respirable		
		fraction)		
		TWA (Total	15 mg/m3	OSHA P0
		dust)	Ū	
		TWÁ	5 mg/m3	OSHA P0
		(respirable	Ū	
		dust fraction)		
		PEL (Total	10 mg/m3	CAL PEL
		dust)	Ŭ	
		PEL	5 mg/m3	CAL PEL
		(respirable	0	
		dust fraction)		
calcium carbonate	471-34-1	PEL (Total	10 mg/m3	CAL PEL
		dust)	Ŭ	
		PEL	5 mg/m3	CAL PEL
		(respirable	- 5	-
		dust fraction)		
titanium dioxide	13463-67-7	TWA	10 mg/m3	ACGIH
		TWA (total	15 mg/m3	OSHA Z-1
		dust)	Ĭ	
		TWA (Total)	10 mg/m3	OSHA P0
		TWA (Total	10 mg/m3	OSHA P0
		dust)		

igineering measures

Use local exhaust ventilation or other engineering controls to minimize exposures.

### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Particulates type



## **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0	Revision Date 03/31/2022
Hand protection Material Eye protection	: butyl-rubber : Safety glasses with side-shields
Skin and body protection	<ul> <li>Long sleeved clothing Remove and wash contaminated clothing before re-use.</li> <li>Skin should be washed after contact.</li> </ul>
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: powder : bronze : odorless : no data available
	: is not determined
	: is not determined
Evaporation rate Upper explosion limit	<ul><li>not applicable</li><li>Upper flammability limit is not determined</li></ul>
Lower explosion limit	: Lower flammability limit is not determined
Density Solubility(ies)	: 11.0 lb/gal
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: not applicable
Autoignition temperature	: is not determined
Viscosity Viscosity, kinematic	: not applicable

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Hazardous decomposition products	: No decomposition if stored and applied as directed.



### **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0

Revision Date 03/31/2022

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

No data available

### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT-single exposure

No data available

#### **STOT-repeated exposure**

No data available

### Aspiration toxicity

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

No data available Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil



### **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0

Revision Date 03/31/2022

# No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

 Waste from residues
 To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards	:	Carcinogenicity
		Specific target organ toxicity (single or repeated exposure)
		Skin corrosion or irritation
		Serious eye damage or eye irritation



TEC® POWER GROUT® 550-947 LT BRONZE		
Version 1.0	Revision Date 03/31/2022	
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
Clean Air Act		
This product does not con Air Act Section 112 (40 Cl	tain any hazardous air pollutants (HAP), as defined by the U.S. Clean FR 61).	
US State Regulations		
California Prop 65	Please contact Supplier for more information.	
The ingredients of this product are reported in the following inventories:TSCAAll substances listed as active on the TSCA inventory		
	All components of this product are on the Canadian DSL A (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)	

### SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com



#### Further information NFPA: HMIS III: Flammability HEALTH 3\* Instability Health 1 3 0 FLAMMABILITY **PHYSICAL HAZARD** 0 0 = not significant, 1 =Slight, Special hazard 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.

### **TEC® POWER GROUT® 550-947 LT BRONZE**

Version 1.0

Revision Date 03/31/2022