

Print Date: 06-18-2015

TEC 10 CARPET ADHESIVE
837981PM

#### SAFETY DATA SHEET

REVISION DATE: 06-18-2015 SUPERSEDES: 06-11-2014

#### SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

#### PRODUCT INFORMATION

PRODUCT: TEC 10 CARPET ADHESIVE

PRODUCT DESCRIPTION: Mastic
INTENDED USE: Adhesive
PRODUCT IDENTIFIER: 837981PM

#### **COMPANY INFORMATION**

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street Aurora, IL 60504 Phone: 1-800-552-6225

> Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

## **SECTION 2: HAZARDS IDENTIFICATION**

## **GHS Hazard Symbols:**





**GHS Signal Word:** Danger

GHS Classification: Skin Sensitisation Category 1; Carcinogenicity Category 1B
GHS Hazard Phrases: May cause an allergic skin reaction.; May cause cancer.

**GHS Precautions:** 

**Safety Precautions:** Obtain special instructions before use. Do not handle until all safety precautions have

been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear

protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get

medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international

regulation for hazardous wastes.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
Rosin/rosin derivatives		10 - 30	Skin Sens. 1; H317	
Mineral oil	64741-96-4	10 - 30	Carc. 1B; H350	

<sup>\*</sup>This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.



## TEC 10 CARPET ADHESIVE 837981PM

#### SAFETY DATA SHEET

\_\_\_\_\_

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

#### **SECTION 4: FIRST AID MEASURES**

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Do not give anything by mouth to an unconscious person.

## **SECTION 5: FIRE FIGHTING MEASURES**

SPECIAL FIRE FIGHTING INSTRUCTIONS:

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.

UNUSUAL FIRE AND EXPLOSION HAZARDS: There is a possibility of pressure buildup in closed containers

when heated. Water spray may be used to cool the containers. Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Nitrogen containing gases

## SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: No health effects expected from the cleanup of this material if contact

can be avoided. Follow personal protective equipment recommendations

found in Section 8 of this MSDS.

METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to

containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

#### SECTION 7: HANDLING AND STORAGE

Handling: Avoid unnecessary exposure. If this material is heated to temperatures sufficient

to produce smoke or fumes, rosin core solder thermal decomposition products (as resin acids - colophony) may be generated. These materials can be potential respiratory sensitizer ACGIH recommends to "reduce exposure to as low as

possible".

Storage: Store in a cool, dry place. Protect from freezing Consult the Technical Data Sheet for specific storage instructions.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>EXPOSURE LIMITS:</b>			
Chemical Name	Note	ACGIH EXPOSURE LIMITS	OSHA PEL



TEC 10 CARPET ADHESIVE 837981PM

#### SAFETY DATA SHEET

Kaolin clay	* (see below)	2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Mineral oil		No data available.	5 mg/m3 TWA (as mist)
Mineral oil		No data available.	5 mg/m3 TWA (as mist)

<sup>\*</sup>This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

#### **ENGINEERING CONTROL METHODS:**

VENTILATION: Use local exhaust ventilation or other engineering controls to

minimize exposures.

EYE PROTECTION: Wear safety glasses when handling this product.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves.

GLOVES: Nitrile

RESPIRATORY PROTECTION: Respiratory protection may be required to avoid overexposure when

handling this product. Use a respirator if general room ventilation is

not available or sufficient to eliminate symptoms.

Respirators should be selected by and used following requirements

found in OSHA's respirator standard (29 CFR 1910.134).

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE: Semi-solid
COLOR: Yellow
ODOR: Aromatic
ODOR THRESHOLD: Not established

pH: 9.9

FREEZING/MELTING POINT (deg. C):

BOILING POINT (deg. C):

Not established

Not established

FLASH POINT: Non flammable > 204 C (400 F) COC

EVAPORATION RATE: Not established

FLAMMABILITY: Not a flammable solid or gas

UPPER EXPLOSIVE LIMIT (% in air):

LOWER EXPLOSIVE LIMIT (% in air):

VAPOR PRESSURE (mm Hg):

VAPOR DENSITY:

Not established

Not established

WEIGHT PER GALLON (lbs.): 9.10 SPECIFIC GRAVITY: 1.090

SOLUBILITY:

OCTANOL/WATER COEFFICIENT:

AUTOIGNITION TEMPERATURE:

DECOMPOSITION TEMPERATURE:

VISCOSITY:

Not established

Not established

Not established

Not established

SOLIDS (% by weight): 63.5 VOC, weight percent 0.00

#### **SECTION 10: STABILITY AND REACTIVITY**



## TEC 10 CARPET ADHESIVE 837981PM

Print Date: 06-18-2015 SAFETY DATA SHEET

Stable under normal conditions.

STABILITY: CHEMICAL INCOMPATIBILITY: Not established

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Nitrogen

containing gases

Will not occur.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Component Toxicity / Toxicology Data:

HAZARDOUS POLYMERIZATION:

COMPONENT NAME	LD50/LC50
Water	ORAL LD50 RAT > 90 ML/KG

## This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause skin irritation. Serious eye damage / irritation :Can cause irritation.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Lungs Skin

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure: Skin disease including eczema and sensitization, Lung disease

## **SECTION 12: ECOLOGICAL INFORMATION**

**OVERVIEW:** No ecological information available for this product.

MOBILITY: No data available. PERSISTENCE: No data available. **BIOACCUMULATION:** No data available.

#### This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Mineral oil	Acute Toxicity (Fish): 96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
	Acute Toxicity (Daphnia): 48 Hr EC50 Daphnia magna: >1000 mg/L
	Acute Toxicity (Algae): Not established
Urea	Acute Toxicity (Fish): 96 Hr LC50 Poecilia reticulata: 16200 - 18300 mg/L
	Acute Toxicity (Daphnia): 24 Hr EC50 Daphnia magna Straus: >10000 mg/L; 48 Hr
	EC50 Daphnia magna: 3910 mg/L [Static]
	Acute Toxicity (Algae): Not established

# **SECTION 13: DISPOSAL CONSIDERATIONS**

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.



## TEC 10 CARPET ADHESIVE 837981PM

#### SAFETY DATA SHEET

## SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

US DOT: NOT REGULATED NOT REGULATED

#### **SECTION 15: REGULATORY INFORMATION**

**INVENTORY STATUS** 

U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's

Inventory requirements.

CANADIAN CEPA DSL: The components of this product are included on the DSL or are exempt

from DSL requirements.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

met.

AUSTRALIA AICS: This product is in compliance with the Australian Inventory of

Chemical Substances requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

This product contains a chemical substance that is subject to a Significant New Use Rule (SNUR)

.alpha.-(4-Nonylphenyl)-.omega.-hydroxy-

poly(oxy-1,2-ethanediyl)

under Section 5(a)(2) of TSCA:

79 FR 59186, Oct 1, 2014 (Proposed rule)

#### FEDERAL REPORTING

## EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

#### STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

Chemical Name/List		CAS	Percent
Quartz	(Carcinogen)	14808-60-7	0.01 - 0.1
Naphthalene	(Carcinogen)	91-20-3	< 10 ppm
Ethyl acrylate	(Carcinogen)	140-88-5	< 10 ppm
1,3-Butadiene	(Carcinogen)	106-99-0	< 10 ppm
1,3-Butadiene	(Developmental toxin)	106-99-0	< 10 ppm
1,3-Butadiene	(Female reproductive toxin)	106-99-0	< 10 ppm

#### **Substances of Very High Concern (SVHC) Content:**

Unless listed below, this product does not contain SVHC's.

4-Nonylphenol, ethoxylated



## TEC 10 CARPET ADHESIVE 837981PM

#### SAFETY DATA SHEET

4-Nonylphenol, ethoxylated

# **SECTION 16: OTHER INFORMATION**

SDS VERSION DATE: 06-18-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 1 FLAMMABILITY -- 0 REACTIVITY -- 0

See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment

recommendations.

Prepared by: The Global Regulatory Department

Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.