

TEC RTU GROUT - DELOREAN GRAY 836502PM

## SAFETY DATA SHEET

REVISION DATE: 02-20-2015

SUPERSEDES: 07-19-2013

#### SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

#### **PRODUCT INFORMATION**

PRODUCT: **PRODUCT DESCRIPTION: INTENDED USE: PRODUCT IDENTIFIER:** 

TEC RTU GROUT - DELOREAN GRAY Sanded polymer grout Adhesive 836502PM

## **COMPANY INFORMATION**

H.B. Fuller Construction Products Inc. 1105 S. Frontenac Street Aurora, IL 60504 Phone: 1-800-552-6225

> Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

## SECTION 2: HAZARDS IDENTIFICATION

**GHS Hazard Symbols:** 



<b>GHS Signal Word:</b>	Warning
<b>GHS Classification:</b>	Skin Sensitisation Category 1A
<b>GHS Hazard Phrases:</b>	May cause an allergic skin reaction.
<b>GHS Precautions:</b>	
Safety Precautions:	Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing
	should not be allowed out of the workplace. Wear protective gloves/protective
	clothing/eye protection/face protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs:
	Get medical advice/attention. Wash contaminated clothing before reuse.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international
	regulation for hazardous wastes.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	PERCENT	Classification	Note
Crystalline silica	14808-60-7	30 - 50	Carc. 1A; H350 STOT RE 1; H372	* (see below)
Ethylene glycol	107-21-1	1 - 5	Acute Tox. 4; H302	
Titanium dioxide	13463-67-7	0.1 - 1	Carc. 2; H351	* (see below)
Hexahydro-1,3,5-tris(2-hydroxyehtyl- s-trizine	4719-04-4	0.1 - 1	Acute Tox. 4; H302 Skin Sens. 1; H317	

\*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.



TEC RTU GROUT - DELOREAN GRAY

## SAFETY DATA SHEET

836502PM

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

### **SECTION 4: FIRST AID MEASURES**

IF IN EYES: Flush eye with water for 20 minutes. Get medical attention.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

#### **SECTION 5: FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA:	Use water spray, foam, dry chemical or carbon dioxide.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	
	when heated. Water spray may be used to cool the containers.
SPECIAL FIRE FIGHTING INSTRUCTIONS:	Persons exposed to products of combustion should wear self-
	contained breathing apparatus and full protective equipment.
HAZARDOUS COMBUSTION PRODUCTS:	Carbon dioxide, Carbon monoxide

## SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION:	No adverse health effects expected from the clean-up of spilled material.
	Follow personal protective equipment recommendations found in
	Section 8 of this SDS.
METHODS FOR CLEAN-UP:	Avoid creating dusts. Cover material with absorbent and moisten and
	collect for disposal.
	Dike if necessary, contain spill with inert absorbent and transfer to
	containers for disposal. Keep spilled product out of sewers, watersheds,
	or water systems.

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

#### **SECTION 7: HANDLING AND STORAGE**

Handling:	No special handling instructions due to toxicity. Avoid breathing material. This product contains an ingredient that may release formaldehyde when in contact with strong acids.	
Storage:	Store in a cool, dry place. Protect from freezing	
Consult the Technical Data Sheet for specific storage instructions.		

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:			
Chemical Name	Note	ACGIH EXPOSURE LIMITS	OSHA PEL
Crystalline silica	* (see below)	0.025 mg/m3 TWA (respirable fraction)	((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust))
Calcium carbonate	* (see	No data available.	15 mg/m3 TWA (total dust); 5 mg/m3 TWA





TEC RTU GROUT - DELOREAN GRAY 836502PM

# Print Date: 09-18-2015

## SAFETY DATA SHEET

	below)		(respirable fraction)
Ethylene glycol		TWA Not established 100 mg/m3 Ceiling (aerosol only)	Not established
Titanium dioxide	* (see below)	10 mg/m3 TWA	15 mg/m3 TWA (total dust)

\*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

## **ENGINEERING CONTROL METHODS:**

VENTILATION:	Use local exhaust ventilation or other engineering controls to minimize exposures.
EYE PROTECTION:	Wear safety glasses when handling this product.
SKIN PROTECTION:	Not normally required. Wear chemically resistant gloves to prevent prolonged or repeated contact.
GLOVES:	Not normally required. Use nitrile gloves if conditions warrant.
RESPIRATORY PROTECTION:	Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. NIOSH approved air purifying respirator with dust/mist filter. Respirators should be selected by and used following requirements found in OSHA's respirator standard (29 CFR 1910.134).

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Semi-solid
COLOR:	Gray
ODOR:	Mild Sweet
ODOR THRESHOLD:	Not established
pH:	8.3
FREEZING/MELTING POINT (deg. C):	Not established
BOILING POINT (deg. C):	Not established
FLASH POINT:	Non flammable
EVAPORATION RATE:	Not established
FLAMMABILITY:	Not a flammable solid or gas
UPPER EXPLOSIVE LIMIT (% in air):	Not established
LOWER EXPLOSIVE LIMIT (% in air):	Not established
VAPOR PRESSURE (mm Hg):	Not established
VAPOR DENSITY:	Not established
WEIGHT PER GALLON (lbs.):	12.80
SPECIFIC GRAVITY:	1.520
SOLUBILITY:	Not established
OCTANOL/WATER COEFFICIENT:	Not established
AUTOIGNITION TEMPERATURE:	Not established
DECOMPOSITION TEMPERATURE:	Not established
VISCOSITY:	No data available.
SOLIDS (% by weight):	87.5
VOC, weight percent	2.70
VOC, U.S. EPA Method 24, less water and exempt	28.1g/liter of material
solvents (theoretically determined)	-
· · · · · · · · · · · · · · · · · · ·	



TEC RTU GROUT - DELOREAN GRAY 836502PM

## SAFETY DATA SHEET

#### SECTION 10: STABILITY AND REACTIVITY

STABILITY:Stable under normal conditions.CHEMICAL INCOMPATIBILITY:Not establishedHAZARDOUS POLYMERIZATION:Will not occur.HAZARDOUS DECOMPOSITION PRODUCTS:Carbon monoxide, carbon dioxide

#### SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:		
COMPONENT NAME	LD50/LC50	
Crystalline silica	ORAL LD50 RAT 500 MG/KG	
Calcium carbonate	ORAL LD50 RAT 6,450 MG/KG	
Ethylene glycol	ORAL LD50 RAT 4,000 MG/KG	

#### This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause minor skin irritation, defatting, and dermatitis.

Serious eye damage / irritation :Can cause minor irritation, tearing and reddening.

Respiratory / skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer.

Reproductive toxicity: Contains a substance(s) that is a possible reproductive system hazard based on high dose tests with laboratory animals.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Lungs Central nervous system Kidneys Liver

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure: Lung disease, Liver disease, Kidney disease

#### SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW:	No ecological information available for this product.
MOBILITY:	No data available.
PERSISTENCE:	No data available.
<b>BIOACCUMULATION:</b>	No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
Ethylene glycol	Acute Toxicity (Fish): 96 Hr LC50 Oncorhynchus mykiss: 41000 mg/L; 96 Hr LC50
	Oncorhynchus mykiss: 14 - 18 mL/L [static]; 96 Hr LC50 Lepomis macrochirus: 27540
	mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: 40761 mg/L [static]; 96 Hr LC50
	Pimephales promelas: 40000 - 60000 mg/L [static]; 96 Hr LC50 Poecilia reticulata:
	16000 mg/L [static]
	Acute Toxicity (Daphnia): 48 Hr EC50 Daphnia magna: 46300 mg/L
	Acute Toxicity (Algae): 96 Hr EC50 Pseudokirchneriella subcapitata: 6500 - 13000



TEC RTU GROUT - DELOREAN GRAY

## SAFETY DATA SHEET

836502PM

#### mg/L

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

#### SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

US DOT:	NOT REGULATED
IATA:	NOT REGULATED

#### **SECTION 15: REGULATORY INFORMATION**

INVENTORY STATUS	
U.S. EPA TSCA:	This product is in compliance with the Toxic Substances Control Act's
	Inventory requirements.
CANADIAN CEPA DSL:	This product contains one or more components which have not been
	determined to be on the DSL. If you are the importer of this product
	into Canada, contact H.B. Fuller for chemical tracking and notification
	information.
EUROPEAN REACH:	As a result of the introduction of REACH into Europe, this product
	cannot be imported into Europe unless the REACH requirements are
	met.
AUSTRALIA AICS:	This product is in compliance with the Australian Inventory of
	Chemical Substances requirements.
KOREAN TCCL:	This product is in compliance with the Korean Existing Chemicals List
	requirements.
PHILIPPINES:	This product is in compliance with the Philippine Inventory of
	Chemicals and Chemical Substances requirements.
CHINA IECSC INVENTORY:	This product is in compliance with the Inventory of Existing Chemical
	Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

#### FEDERAL REPORTING

EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

Chemical Name	<b>z</b>	CAS#	%
Ethylene glycol		107-21-1	1 - 5

WHMIS STATUS: Unless listed below, this product is not controlled under the Canadian Workplace Hazardous Materials Information System. D2A

#### STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:



Page 6 of 6

TEC RTU GROUT - DELOREAN GRAY 836502PM

## SAFETY DATA SHEET

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm

Chemical Name/List		CAS	Percent		
Quartz	(Carcinogen)	14808-60-7	30 - 50		
Titanium dioxide	(Carcinogen)	13463-67-7	0.1 - 1		
Carbon black	(Carcinogen)	1333-86-4	0.01 - 0.1		
Formaldehyde	(Carcinogen)	50-00-0	0.001 - 0.01		
Nickel	(Carcinogen)		< 10 ppm		
Lead	(Carcinogen)	7439-92-1	< 10 ppm		
Methanol	(Developmental toxin)	67-56-1	< 10 ppm		
Lead	(Developmental toxin)	7439-92-1	< 10 ppm		
Lead	(Female reproductive toxin)	7439-92-1	< 10 ppm		
Lead	(Male reproductive toxin)	7439-92-1	< 10 ppm		

#### Substances of Very High Concern (SVHC) Content:

Unless listed below, this product does not contain SVHC's. tert-Octylphenol, ethoxylated

#### **SECTION 16: OTHER INFORMATION**

SDS VERSION DATE: 02-20-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 0 FLAMMABILITY -- 0 REACTIVITY -- 0 See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Construction Products, Inc. from its suppliers, and because H.B. Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B. Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.