



Products Contributing to LEED® Certification



Our Focus on the Environment

TEC® products are developed and manufactured with the environment in mind. Our goal is simple: Develop products that balance sustainability, usability, performance and value.

Category and Products	Manufacturing Location									Percent Recycled Content		VOC Content	
	Aurora, IL	Dalton, GA	Edison, NJ	Gainesville, FL	Grand Rapids, MI	La Mirada, CA	Mansfield, TX	Rexdale, ON	Pre-consumer	Post-consumer	g/L less water	Percent*	
Surface Preparation													
LiquiDam™ Penetrating Moisture Vapor Barrier (Part A, 213)								●	0	0	0	n/a	
LiquiDam™ Penetrating Moisture Vapor Barrier (Part B, 213)								●	0	0	0	n/a	
LiquiDam EZ™ Moisture Vapor Barrier (214)	●								0	0	1	n/a	
VersaPatch® Latex Modified Floor Patch (327)	●		●	●					0	0	0	n/a	
TEC® Fast-Set Deep Patch (305)	●		●						0	0	0	n/a	
PerfectFinish™ (320)	●								0	0	0	n/a	
TEC® Feather Edge Skim Coat (330)	●		●						0	0	0	n/a	
TEC® Floor Patch Pro (059)	●						●		0	0	0	n/a	
TEC® Ready To Use Skimcoat & Patch (896)	●								0	0	18	n/a	
TEC® Patch Additive (861)	●								0	0	12	n/a	
TEC® Multipurpose Primer (560)	●	●							0	0	0	n/a	
Level Set® Epoxy Primer (Part A, 052)	●								0	0	0	n/a	
Level Set® Epoxy Primer (Part B, 052)	●								0	0	0	n/a	
Level Set® LW-60 Ultra-Lightweight SLU (053)			●			●			0	0	0	n/a	
Level Set® Deep Pour 3 Self-Leveling Underlayment (DP3, 003)			●			●			0	0	0	n/a	
Level Set® 300 Self-Leveling Underlayment (300)	●		●			●			0	0	0	n/a	
Level Set® 500 HF Self-Leveling Underlayment (500)	●		●						0	0	0	n/a	
EZ Level® (323)	●		●						10	0	0	n/a	
Level Set® 200 Self-Leveling Underlayment (200)	●		●			●			0	0	0	n/a	
TEC® Contractor Grade Self-Leveling Underlayment (567)			●						25	0	0	n/a	
Level Set® Wear Topping (Gray, 058; White, 057; Bright White, 054)			●			●			0	0	0	n/a	
TEC® Fiber Reinforced Underlayment (565)	●		●						10	0	0	n/a	
HydraFlex™ Waterproofing Crack Isolation Membrane (316)	●								0	0	12	n/a	
Triple Flex™ Waterproofing Crack Isolation Membrane (Part A, 324)	●								0	0	0	n/a	
Triple Flex™ Waterproofing Crack Isolation Membrane (Part B, 324)	●								0	0	0	n/a	
TEC® Waterproofing and Crack Prevention Membrane (418)	●								0	0	9.56	n/a	
TEC® Joint/Crack Filler								●	0	0	0	n/a	
Flooring Adhesives													
The Perfect Putdown® Premium Carpet and Flooring Adhesive (717)		●							0	0	0	n/a	
The Pro® Carpet and Flooring Adhesive (722)		●							0	0	0	n/a	
TEC® Universal Multipurpose Adhesive (706)		●							0	0	0	n/a	
TEC® Contract Multipurpose Adhesive (700)		●							0	0	0	n/a	
TEC® Premium Fast Grab Carpet Adhesive (704)		●							0	0	0	n/a	
TEC® Double-Stick Carpet Adhesive (702)		●							0	0	0	n/a	
TEC® Releasable Pressure Sensitive Adhesive (749)		●							0	0	0	n/a	
TEC® Wall Carpet Adhesive (705)		●							0	0	5.1	n/a	
TEC® Wet-Set and Outdoor Carpet Adhesive (975)		●							0	0	0	n/a	
TEC® Carpet Pad Adhesive (10)		●							0	0	0	n/a	
TEC® Universal Solvent-Free Seam Sealer (131)		●							0	0	34	n/a	
Flexera® Premium Universal Adhesive (774)		●							0	0	1	n/a	
Flexera® High Tack Premium Universal Adhesive		●							0	0	<1	n/a	
Flexera® Vinyl Flooring Spray Adhesive	●								0	0	0	n/a	
TEC® Clear Thin Spread Adhesive (713)		●							0	0	0	n/a	
TEC® Solid Vinyl Plank and Tile Adhesive (744)		●							0	0	0	n/a	
TEC® Premium Transitional Vinyl Adhesive (752)		●							0	0	0	n/a	
RollFast™ Vinyl Flooring Adhesive (776)		●							0	0	1	n/a	
TrowelFast™ Vinyl Flooring Adhesive (778)		●							0	0	1	n/a	

For information pertaining to % materials extracted, harvested and/or recovered locally, please consult with your TEC® Representative.

* Percent pertains to sealants and adhesives in pint containers or less per California consumer regulations.

TEC® Products Contributing to LEED® Certification

Category and Products	Manufacturing Location								Percent Recycled Content		VOC Content	
	Aurora, IL	Dalton, GA	Edison, NJ	Gainesville, FL	Grand Rapids, MI	La Mirada, CA	Mansfield, TX	Rexdale, ON	Pre-consumer	Post-consumer	g/L less water	Percent *
Flooring Adhesives <i>continued</i>												
TEC® Stair Tread Adhesive (470)		●							0	0	<10	n/a
TEC® Premium Cove Base Adhesive (714)		●							0	0	10	n/a
TEC® Premium Cove Base Adhesive (White, 714W)		●							0	0	5	n/a
TEC® Nose Caulk Filler (124)								●	0	0	<12 (A&B)	n/a
Wood Assure™ Premium Urethane Wood Flooring Adhesive and Moisture Barrier (804)								●	0	0	n/a	n/a
Wood Endure™ Advanced Performance Wood Flooring Adhesive (806)								●	0	0	n/a	n/a
Wood Go™ Urethane Wood Flooring Adhesive (802)								●	0	0	97	n/a
Wood Ready™ Engineered Wood Flooring Adhesive (800)		●							0	0	8	n/a
WoodPerfect™ Advanced Performance Wood Flooring Adhesive (791)								●	0	0	47	n/a
Mortars												
Crack Isolation Polymer Modified Mortars												
IsoLight™ 1/8" Crack Isolation Mortar (Gray, 358; White, 359)	●			●					5, 4	0, 0	0	n/a
Fast Set Polymer Modified Mortars												
Fast Set 3N1™ Performance Mortar (Gray, 517; White, 518)	●		●						7, 7	0, 0	0	n/a
TEC® Fast Set Ultimate Large Tile Mortar (Gray, 386; White, 387)	●		●						5, 0	0, 5	0	n/a
Quik Flex® Accelerated Thin Set Mortar (Gray, 395)	●		●	●					9	0	0	n/a
Quik Flex® Accelerated Thin Set Mortar (White, 396)			●						0	0	0	n/a
TEC® Fast Set Mortar (395)	●		●						0	0	0	n/a
Polymer Modified Mortars												
3N1™ Performance Mortar (Gray, 384; White, 385)	●		●	●			●		6, 6	0, 0	0	n/a
TEC® Ultimate Large Tile Mortar (Gray, 382; White, 383)	●		●	●			●		5, 0	0, 5	0	n/a
TEC® Ultimate 6 Plus Mortar (White, 487)	●		●	●			●		0	0	0	n/a
Super Flex™ Ultra-Premium Polymer Modified Mortar (Gray, 392; White, 393)	●		●	●			●	●	7, 0	0, 0	0	n/a
Full Flex® Premium Thin Set Mortar (Gray, 390; White, 391)	●		●	●			●	●	0, 0	0, 0	0	n/a
Sturdi Flex™ Thin Set Mortar (Gray, 345; White, 346)	●		●	●			●	●	0, 0	0, 0	0	n/a
SturdiLight™ Lightweight Latex Modified Thin Set Mortar (Gray, 354; White, 355)	●		●						5, 4	0, 0	0	n/a
PermaFlex® 300 LHT Large Heavy Tile Mortar (Gray, 044; White, 045)	●		●	●			●	●	0, 0	0, 0	0	n/a
PermaFlex® 300 (Gray, 034; White, 035)	●		●	●			●	●	0, 0	0, 0	0	n/a
TEC® Full Contact Mortar (369)	●		●	●			●		0	0	0	n/a
TEC® Glass Block Mortar (363)	●						●		0	0	0	n/a
TEC® Ultimate Premixed Mortar (130)		●							0	0	27	n/a
Dry Set Mortars												
TEC® Uncoupling Membrane Mortar (Gray, 337; White 338)	●		●	●			●	●	6.5, 0	0, 0	0	n/a
Full Set Plus® Unmodified Thin Set Mortar (Gray, 380; White, 381)	●		●	●			●	●	0, 0	0, 0	0	n/a
Full Set Plus® Unmodified Thin Set Mortar, Summer (Gray, 380)	●		●	●			●	●	0, 0	0, 0	0	n/a
PermaSet® 200 (Gray, 030; White, 031)	●		●	●			●	●	0	0	0	n/a
TEC® Floor Mud (050)							●		0	0	0	n/a
Mortar Additives												
XtraFlex™ Acrylic Latex Additive (872)	●								0	0	12	n/a
Acrylbond® AMA Acrylic Latex Additive (862)	●								0	0	8	n/a
Mastics												
Double Duty™ Plus White Ceramic Tile Adhesive (123)	●								0	0	44	n/a
Double Duty™ Ceramic Tile Adhesive (122)	●								0	0	137	n/a
TEC® Ceramic Tile Adhesive (101)	●	●							0	0	1.3	n/a
TEC® Type 1 Mastic (101)	●	●							0	0	1.3	n/a
Grout** and Grout Additives												
TEC® Premixed Vinyl Tile Grout (639)	●								0	0	15	n/a
Design FX® Design Inspired Stain Proof Grout (546)	●								0	0	10	n/a
InColor™ Advanced Performance Grout (575)	●								0	0	10	n/a
TEC® Ready To Use Grout (647)	●								0	0	28.1	n/a
Power Grout® Ultimate Performance Grout (550)			●						0	0	0	n/a
AccuColor® Plus Grout (450)			●						0	0	0	n/a
AccuColor EFX® Epoxy Mortar and Grout (Part A, 440)	●								12	0	0	n/a
AccuColor EFX® Epoxy Mortar and Grout (Part B, 440)					●				0	0	0	n/a
AccuColor EFX® Epoxy Mortar and Grout (Part C, 440)	●								0	0	0	n/a

TEC® Products Contributing to LEED® Certification

Category and Products	Manufacturing Location								Percent Recycled Content		VOC Content	
	Aurora, IL	Dalton, GA	Edison, NJ	Gainesville, FL	Grand Rapids, MI	La Mirada, CA	Mansfield, TX	Rexdale, ON	Pre-consumer	Post-consumer	g/L less water	Percent *
Grout** and Grout Additives <i>continued</i>												
AccuColor EFX® Clean-up Water Concentrate (442)	●								0	0	0	n/a
AccuColor® Premium Grout, Sanded (650)	●		●	●		●			0	0	0	n/a
TEC® Sanded Adhesive & Grout (691)	●								0	0	29	n/a
AccuColor® Premium Grout, Unsanded (620)	●								0	0	0	n/a
TEC® Unsanded Adhesive & Grout (631)	●								0	0	35	n/a
TEC® Acrylic Grout Additive (869)	●								0	0	2	n/a
TEC® Grout Colorant (505)	●								0	0	59	n/a
Caulks and Sealants												
AccuColor 100® 100% Silicone Sealant (155)	●								0	0	40	3
AccuColor® Siliconized Acrylic Caulk, Sanded (850)	●								0	0	12	0.6
AccuColor® Siliconized Acrylic Caulk, Unsanded (820)	●								0	0	14	0.7

Reference Guide for Applicable Credits		
Low-Emitting Materials	Points	Requirement
IEQ Credit 4.2	1	All paints and coatings (including floor coatings, primers and sealers) must not exceed the VOC content limits established in South Coast Air Quality Management District (SCAQMD) Rule #1113. SCAQMD #1168 sets volatile organic compound limits for paints and coatings applied on site.

For information pertaining to % materials extracted, harvested and/or recovered locally, please consult with your TEC® Representative.

* Percent pertains to sealants and adhesives in pint containers or less per California consumer regulations.

** Sanded and unsanded grout colors manufactured per each location may vary.

AccuColor® Premium Sanded Grout Colors (650): Aurora (ALL) Gainesville (ALL); Edison (ALL); LaMirada (931 only)
AccuColor® Premium Unsanded Grout Colors (620): Aurora (ALL); Gainesville (ALL); Edison (ALL); LaMirada (ALL except 957 and 990)

The trademarks listed on this certification sheet, unless otherwise noted, are owned by H.B. Fuller Construction Products Inc.
LEED® is a registered trademark of U.S. Green Building Council.



The information provided herein has been prepared in good faith on the basis of information available at the time of publication. Because of variations that take place during production in normal working and environmental conditions, H.B. Fuller Construction Products Inc. cannot be responsible for the consequence of variations in such conditions or for unforeseen conditions.